



HEAVY DUTY KEY SWITCH

Large Format Inter-changeable Core Cylinder



CATALOG
V-003



HEAVY DUTY KEY SWITCH

Large Format Inter-changeable Core Cylinder



COMPATIBLE
Sargent.




CATALOG

V-003



ICSA02A1



SWITCH TYPE
SPDT
(Single pole – Double Throw)

SWITCH ACTION
Momentary
on-on

KEY ROTATION
30°
Clockwise-on


CONTACT RATING
10A 125vac, 10A 250vac
Resistive

FINISHES
BHMA
626, 613 & 606

PANEL MOUNT PREPARATION
Large Cam Lock Style
1-5/32" dia by .950" (flat width) Double "D" Design



ICSA02B1



SWITCH TYPE
B1-SPDT
(Single pole – Double Throw)

SWITCH ACTION
Momentary
on-on

KEY ROTATION
45°
Clockwise-on


CONTACT RATING
15A 125vac, 15A 250vac
Resistive

FINISHES
BHMA
626, 613 & 606

PANEL MOUNT PREPARATION
Large Cam Lock Style
1-5/32" dia by .950" (flat width) Double "D" Design



ICSA02B2



SWITCH TYPE
B2-SPDT
(Single pole – Double Throw)

SWITCH ACTION
Maintained
on-on

KEY ROTATION
360°
Clockwise-on

CONTACT RATING
15A 125vac, 15A 250vac
Resistive

FINISHES
BHMA
626, 613 & 606

PANEL MOUNT PREPARATION
Large Cam Lock Style
1-5/32" dia by .950" (flat width) Double "D" Design



ICSA02D2



SWITCH TYPE
DPST
(Double pole – Single Throw)

SWITCH ACTION
Maintained
on-off

KEY ROTATION
25° Clockwise-on,
25° Counter Clockwise-off


CONTACT RATING
15A 125vac, 15A 250vac, DC30v 15A
Resistive

FINISHES
BHMA
626, 613 & 606

PANEL MOUNT PREPARATION
Large Cam Lock Style
1-5/32" dia by .950" (flat width) Double "D" Design



ICSA02E2



SWITCH TYPE
TPDT
(Triple pole – Double Throw)

SWITCH ACTION
Maintained
on-center off-on

KEY ROTATION
30° Clockwise-on,
30° Counter Clockwise-on



CONTACT RATING
25A 125vac, 9A 250vac, 20A 30vdc
Resistive

FINISHES
BHMA
626, 613 & 606



PANEL MOUNT PREPARATION
Large Cam Lock Style
1-5/32" dia by .950" (flat width) Double "D" Design

HEAVY DUTY KEY SWITCH

Large Format Inter-changeable Core Cylinder

 <h2>ICSA02K4</h2> 	SWITCH TYPE DPDT (Double pole – Double Throw)	SWITCH ACTION Momentary on-center off-on	KEY ROTATION 24° Clockwise-on, 24° Counter Clockwise-on
	CONTACT RATING 15A 125vac, 15A 250vac Resistive, Motor Load 400w 125vac	FINISHES BHMA 626, 613 & 606	
	PANEL MOUNT PREPARATION Large Cam Lock Style 1-5/32"dia by .950" (flat width) Double "D" Design		

SWITCH TYPE SPDT (Single pole – Double Throw)	SWITCH ACTION Maintained on-on	KEY ROTATION 32° Clockwise-on, 32° Counter Clockwise-on	 <h2>ICSA02L2</h2> 
CONTACT RATING 15A 125vac, 6A 250vac, 20A 30vdc Resistive	FINISHES BHMA 626, 613 & 606		
PANEL MOUNT PREPARATION Large Cam Lock Style 1-5/32"dia by .950" (flat width) Double "D" Design			

 <h2>ICSA02B3/J3</h2> 	SWITCH TYPE B3-SPDT (Single pole – Double Throw)	SWITCH ACTION Momentary on-on	KEY ROTATION 30° Clockwise-on
	CONTACT RATING 10A 125vac, 10A 250vac Resistive	FINISHES BHMA 626, 613 & 606	
	PANEL MOUNT PREPARATION Large Cam Lock Style 1-5/32"dia by .950" (flat width) Double "D" Design MODEL: J-3 (2) SPDT Switches (Single Pole – Double Pole)		

SWITCH TYPE P2-(4) SPDT (Single pole – Double Throw)	SWITCH ACTION Momentary on-on	KEY ROTATION 30° Clockwise-on, 30° Counter Clockwise-on	 <h2>ICSA02P2/R4</h2> 
CONTACT RATING 15A 125vac, 15A 250vac Resistive	FINISHES BHMA 626, 613 & 606		
PANEL MOUNT PREPARATION Large Cam Lock Style 1 5/32"dia by .950" (flat width) Double "D" Design MODEL: R-4 (4) SPDT Switches (Single Pole – Double Pole)			



OPTIONS:

FACEPLATES



Narrow Faceplate
option **0**

(for models A1, B1, B2, B3, D2, E2, J3, K4, L2, only)



Single Gang Faceplate
option **1**



Double Gang Faceplate
with single switch
option **2**

(for models A1, B1, B2, B3, D2, E2, J3, K4, L2, only)



Double Gang Faceplate
with double switch
option **3**

(for models A1, B1, B2, B3, J3 only)

FINISHES

Satin Chrome
BHMA 626
option **S**

Oiled Rubbed Bronze
BHMA 613
option **D**

Satin Brass
BHMA 606
option **B**

FINISHES

RED (1)
12/24 volt, mounted
option **R**

GREEN (1)
12/24 volt, mounted
option **G**

RED (1) & GREEN (1)
12/24 volt, mounted
option **T**

SWITCH ACTION & FUNCTION

MODEL	SPDT 10 AMP ON-ON	SPDT 15 AMP ON-ON	DPDT 15 AMP ON-ON	DPST 15 AMP ON-OFF	3PDT 15 AMP ON-OFF-ON	DPDT 15 AMP ON-OFF-ON	SPDT 15 AMP ON-OFF-ON
ICSA02A1	MONENTARY DETENT ACTION 30 DEGREE RIGHT ROTATION						
ICSA02B1	MONENTARY DETENT ACTION 45 DEGREE RIGHT ROTATION						
ICSA02B2	MAINTAINED 360 DEGREE RIGHT ROTATION						
ICSA02B3	MONENTARY SPRING ACTION 30 DEGREE RIGHT ROTATION						
ICSA02J3	MONENTARY SPRING ACTION 30 DEGREE RIGHT ROTATION						
ICSA02D2	MAINTAINED RIGHT / LEFT TOGGLE ACTION						
ICSA02E2	MONENTARY RIGHT / CTR / LEFT TOGGLE ACTION						
ICSA02K4	MONENTARY RIGHT / CTR / LEFT TOGGLE ACTION						
ICSA02L2	MAINTAINED RIGHT / LEFT TOGGLE ACTION						
ICSA02P2	MONENTARY SPRING ACTION 30 DEGREE RIGHT / CTR / LEFT ROTATION						
ICSA02R4	MONENTARY SPRING ACTION 30 DEGREE RIGHT / CTR / LEFT ROTATION						

FACEPLATE Switch & Configuration

MODEL	SINGLE SWITCH NARROW SWITCH PLATE	SINGLE SWITCH SINGLE GANG SWITCH PLATE	SINGLE SWITCH DOUBLE GANG SWITCH PLATE	DOUBLE SWITCH DOUBLE GANG SWITCH PLATE
ICSA02A1	X	X	X	X
ICSA02B1	X	X	X	X
ICSA02B2	X	X	X	X
ICSA02B3	X	X	X	X
ICSA02J3	X	X	X	X
ICSA02D2		X	X	
ICSA02E2		X	X	
ICSA02K4		X	X	
ICSA02L2		X	X	
ICSA02P2	----- PANEL ONLY -----			
ICSA02R4	----- PANEL ONLY -----			

