



HEAVY DUTY KEY SWITCH

Large Format Inter-changeable Core Cylinder



CATALOG
V-003




HEAVY DUTY KEY SWITCH

Large Format Inter-changeable Core Cylinder












COMPATIBLE
Corbin®



CATALOG



V-003





 <h3>ICCO03A1</h3>	SWITCH TYPE SPDT (Single pole – Double Throw)	SWITCH ACTION Momentary on-on	KEY ROTATION 30° Clockwise-on
	CONTACT RATING 10A 125vac, 10A 250vac Resistive		FINISHES BHMA 626, 613 & 606
	PANEL MOUNT PREPARATION Large Cam Lock Style 1-5/32"dia by .950" (flat width) Double "D" Design		
	 <h3>ICCO03B1</h3>		
	SWITCH TYPE B1-SPDT (Single pole – Double Throw)	SWITCH ACTION Momentary on-on	KEY ROTATION 45° Clockwise-on
	CONTACT RATING 15A 125vac, 15A 250vac Resistive		FINISHES BHMA 626, 613 & 606
	PANEL MOUNT PREPARATION Large Cam Lock Style 1-5/32"dia by .950" (flat width) Double "D" Design		
 <h3>ICCO03B2</h3>	SWITCH TYPE B2-SPDT (Single pole – Double Throw)	SWITCH ACTION Maintained on-on	KEY ROTATION 360° Clockwise-on
	CONTACT RATING 15A 125vac, 15A 250vac Resistive		FINISHES BHMA 626, 613 & 606
	PANEL MOUNT PREPARATION Large Cam Lock Style 1-5/32"dia by .950" (flat width) Double "D" Design		
	 <h3>ICCO03D2</h3>	SWITCH TYPE DPST (Double pole – Single Throw)	SWITCH ACTION Maintained on-off
	CONTACT RATING 15A 125vac, 15A 250vac, DC30v 15A Resistive		FINISHES BHMA 626, 613 & 606
	PANEL MOUNT PREPARATION Large Cam Lock Style 1-5/32"dia by .950" (flat width) Double "D" Design		
	 <h3>ICCO03E2</h3>	SWITCH TYPE TPDT (Triple pole – Double Throw)	SWITCH ACTION Maintained on-center off-on
	CONTACT RATING 25A 125vac, 9A 250vac, 20A 30vdc Resistive		FINISHES BHMA 626, 613 & 606
	PANEL MOUNT PREPARATION Large Cam Lock Style 1-5/32"dia by .950" (flat width) Double "D" Design		

HEAVY DUTY KEY SWITCH

Large Format Inter-changeable Core Cylinder

 <h2>ICCO03K4</h2> 	SWITCH TYPE DPDT (Double pole – Double Throw)	SWITCH ACTION Momentary on-center off-on	KEY ROTATION 24° Clockwise-on, 24° Counter Clockwise-on
	CONTACT RATING 15A 125vac, 15A 250vac Resistive, Motor Load 400w 125vac		FINISHES BHMA 626, 613 & 606
	PANEL MOUNT PREPARATION Large Cam Lock Style 1-5/32"dia by .950" (flat width) Double "D" Design		

SWITCH TYPE SPDT (Single pole – Double Throw)	SWITCH ACTION Maintained on-on	KEY ROTATION 32° Clockwise-on, 32° Counter Clockwise-on	 <h2>ICCO03L2</h2> 
CONTACT RATING 15A 125vac, 6A 250vac, 20A 30vdc Resistive		FINISHES BHMA 626, 613 & 606	
PANEL MOUNT PREPARATION Large Cam Lock Style 1-5/32"dia by .950" (flat width) Double "D" Design			

 <h2>ICCO03B3/J3</h2> 	SWITCH TYPE B3-SPDT (Single pole – Double Throw)	SWITCH ACTION Momentary on-on	KEY ROTATION 30° Clockwise-on
	CONTACT RATING 10A 125vac, 10A 250vac Resistive		FINISHES BHMA 626, 613 & 606
	PANEL MOUNT PREPARATION Large Cam Lock Style 1-5/32"dia by .950" (flat width) Double "D" Design MODEL: J-3 (2) SPDT Switches (Single Pole – Double Pole)		

SWITCH TYPE P2-(4) SPDT (Single pole – Double Throw)	SWITCH ACTION Momentary on-on	KEY ROTATION 30° Clockwise-on, 30° Counter Clockwise-on	 <h2>ICCO03P2/R4</h2> 
CONTACT RATING 15A 125vac, 15A 250vac Resistive		FINISHES BHMA 626, 613 & 606	
PANEL MOUNT PREPARATION Large Cam Lock Style 1 5/32"dia by .950" (flat width) Double "D" Design MODEL: R-4 (4) SPDT Switches (Single Pole – Double Pole)			



COMPATIBLE
Corbin.



CATALOG

V-003



OPTIONS:

FACEPLATES



Narrow Faceplate
option **0**

(for models A1, B1, B2, B3, D2, E2, J3, K4, L2, only)



Single Gang Faceplate
option **1**



Double Gang Faceplate
with single switch
option **2**

(for models A1, B1, B2, B3, D2, E2, J3, K4, L2, only)



Double Gang Faceplate
with double switch
option **3**

(for models A1, B1, B2, B3, J3 only)

FINISHES

Satin Chrome
BHMA 626
option **S**

Oiled Rubbed Bronze
BHMA 613
option **D**

Satin Brass
BHMA 606
option **B**

FINISHES

RED (1)
12/24 volt, mounted
option **R**

GREEN (1)
12/24 volt, mounted
option **G**

RED (1) & GREEN (1)
12/24 volt, mounted
option **T**

SWITCH ACTION & FUNCTION

MODEL	SPDT 10 AMP ON-ON	SPDT 15 AMP ON-ON	DPDT 15 AMP ON-ON	DPST 15 AMP ON-OFF	3PDT 15 AMP ON-OFF-ON	DPDT 15 AMP ON-OFF-ON	SPDT 15 AMP ON-OFF-ON
ICCO03A1	MONENTARY DETENT ACTION 30 DEGREE RIGHT ROTATION						
ICCO03B1	MONENTARY DETENT ACTION 45 DEGREE RIGHT ROTATION						
ICCO03B2	MAINTAINED 360 DEGREE RIGHT ROTATION						
ICCO03B3	MONENTARY SPRING ACTION 30 DEGREE RIGHT ROTATION						
ICCO03J3	MONENTARY SPRING ACTION 30 DEGREE RIGHT ROTATION						
ICCO03D2	MAINTAINED RIGHT / LEFT TOGGLE ACTION						
ICCO03E2	MONENTARY RIGHT / CTR / LEFT TOGGLE ACTION						
ICCO03K4	MONENTARY RIGHT / CTR / LEFT TOGGLE ACTION						
ICCO03L2	MAINTAINED RIGHT / LEFT TOGGLE ACTION						
ICCO03P2	MONENTARY SPRING ACTION 30 DEGREE RIGHT / CTR / LEFT ROTATION						
ICCO03R4	MONENTARY SPRING ACTION 30 DEGREE RIGHT / CTR / LEFT ROTATION						

FACEPLATE Switch & Configuration

MODEL	SINGLE SWITCH	SINGLE SWITCH	SINGLE SWITCH	DOUBLE SWITCH
	NARROW SWITCH PLATE	SINGLE GANG SWITCH PLATE	DOUBLE GANG SWITCH PLATE	DOUBLE GANG SWITCH PLATE
ICCO03A1	X	X	X	X
ICCO03B1	X	X	X	X
ICCO03B2	X	X	X	X
ICCO03B3	X	X	X	X
ICCO03J3	X	X	X	X
ICCO03D2		X	X	
ICCO03E2		X	X	
ICCO03K4		X	X	
ICCO03L2		X	X	
ICCO03P2			PANEL ONLY	
ICCO03R4			PANEL ONLY	

