



HEAVY DUTY KEY SWITCH

Small Format Inter-changeable Core Cylinder




CATALOG
V-001



HEAVY DUTY KEY SWITCH

Small Format Inter-changeable Core Cylinder




R-1

CATALOG V-001



ICES67A1



SWITCH TYPE
SPDT
(Single pole – Double Throw)

SWITCH ACTION
Momentary
on-on

KEY ROTATION
36°
Clockwise-on


CONTACT RATING
10A 125vac, 10A 250vac
Resistive

FINISHES
BHMA 626, 613 & 606

PANEL MOUNT PREPARATION
Large Cam Lock Style
1-5/32" dia by .950" (flat width) Double "D" Design



ICES67B1



SWITCH TYPE
B1-SPDT
(Single pole – Double Throw)

SWITCH ACTION
Momentary on-on

KEY ROTATION
45° Clockwise-on


CONTACT RATING
15A 125vac, 15A 250vac
Resistive

FINISHES
BHMA 626, 613 & 606

PANEL MOUNT PREPARATION
Large Cam Lock Style
1-5/32" dia by .950" (flat width) Double "D" Design



ICES67B2



SWITCH TYPE
B2-SPDT
(Single pole – Double Throw)

SWITCH ACTION
Maintained
on-on

KEY ROTATION
36°
Clockwise-on


CONTACT RATING
15A 125vac, 15A 250vac
Resistive

FINISHES
BHMA 626, 613 & 606

PANEL MOUNT PREPARATION
Large Cam Lock Style
1-5/32" dia by .950" (flat width) Double "D" Design



ICES67D2



SWITCH TYPE
DPST
(Double pole – Single Throw)

SWITCH ACTION
Maintained
on-off

KEY ROTATION
25° Clockwise-on,
25° Counter Clockwise-off


CONTACT RATING
15A 125vac, 15A 250vac, DC30v 15A
Resistive

FINISHES
BHMA 626, 613 & 606

PANEL MOUNT PREPARATION
Large Cam Lock Style
1-5/32" dia by .950" (flat width) Double "D" Design



ICES67E2



SWITCH TYPE
TPDT
(Triple pole – Double Throw)

SWITCH ACTION
Maintained
on-center off-on

KEY ROTATION
30° Clockwise-on,
30° Counter Clockwise-on

CONTACT RATING
25A 125vac, 9A 250vac, 20A 30vdc
Resistive

FINISHES
BHMA 626, 613 & 606

PANEL MOUNT PREPARATION
Large Cam Lock Style
1-5/32" dia by .950" (flat width) Double "D" Design




ICES67K4

SWITCH TYPE
DPDT
(Double pole – Double Throw)

SWITCH ACTION
Momentary
on-center off-on

KEY ROTATION
24° Clockwise-on,
24° Counter Clockwise-on



CONTACT RATING
15A 125vac, 15A 250vac Resistive,
Motor Load 400w 125vac

FINISHES
BHMA 626, 613 & 606

PANEL MOUNT PREPARATION
Large Cam Lock Style
1-5/32" dia by .950" (flat width) Double "D" Design

SWITCH TYPE
SPDT
(Single pole – Double Throw)

SWITCH ACTION
Maintained
on-on

KEY ROTATION
32° Clockwise-on,
32° Counter Clockwise-on

ICES67L2



FINISHES
BHMA 626, 613 & 606

CONTACT RATING
15A 125vac, 6A 250vac,
20A 30vdc Resistive

PANEL MOUNT PREPARATION
Large Cam Lock Style
1-5/32" dia by .950" (flat width) Double "D" Design




ICES67B3/J3

SWITCH TYPE
B3-SPDT
(Single pole – Double Throw)

SWITCH ACTION
Momentary
on-on

KEY ROTATION
30°
Clockwise-on



CONTACT RATING
15A 125vac, 15A 250vac
Resistive

FINISHES
BHMA 626, 613 & 606

PANEL MOUNT PREPARATION
Large Cam Lock Style 1 5/32" dia by .950" (flat width) Double "D" Design
MODEL: J-3 (2) SPDT Switches (Single Pole – Double Pole)

SWITCH TYPE
P2-(4) SPDT
(Single pole – Double Throw)

SWITCH ACTION
Momentary
on-on

KEY ROTATION
30° Clockwise-on,
30° Counter Clockwise-on


ICES67P2/R4



FINISHES
BHMA 626, 613 & 606

CONTACT RATING
15A 125vac, 15A 250vac
Resistive

PANEL MOUNT PREPARATION
Large Cam Lock Style 1 5/32" dia by .950" (flat width) Double "D" Design
MODEL: R-4 (4) SPDT Switches (Single Pole – Double Pole)



HEAVY DUTY KEY SWITCH

Small Format Inter-changeable Core Cylinder



R-1

CATALOG

V-001



OPTIONS:

FACEPLATES



Narrow Faceplate
option 0

(for models A1, B1, B2, B3, D2, E2, J3, K4, L2, only)



Single Gang Faceplate
option 1



Double Gang Faceplate
with single switch
option 2

(for models A1, B1, B2, B3, D2, E2, J3, K4, L2, only)



Double Gang Faceplate
with double switch
option 3

(for models A1, B1, B2, B3, J3 only)

FINISHES

Satin Chrome
BHMA 626
option S

Oiled Rubbed Bronze
BHMA 613
option D

Satin Brass
BHMA 606
option B

FINISHES

RED (1)
12/24 volt, mounted
option R

GREEN (1)
12/24 volt, mounted
option G

RED (1) & GREEN (1)
12/24 volt, mounted
option T

SWITCH Action & function

MODEL	SPDT	SPDT	DPDT	DPST	3PDT	DPDT	SPDT
	10 AMP ON-ON	15 AMP ON-ON	15 AMP ON-ON	15 AMP ON-OFF	15 AMP ON-OFF-ON	15 AMP ON-OFF-ON	15 AMP ON-OFF-ON
ICES67A1	MONENTARY DETENT ACTION 30 DEGREE RIGHT ROTATION						
ICES67B1	MONENTARY DETENT ACTION 45 DEGREE RIGHT ROTATION						
ICES67B2	MAINTAINED 360 DEGREE RIGHT ROTATION						
ICES67B3	MONENTARY SPRING ACTION 30 DEGREE RIGHT ROTATION						
ICES67J3	MONENTARY SPRING ACTION 30 DEGREE RIGHT ROTATION						
ICES67D2	MAINTAINED RIGHT / LEFT TOGGLE ACTION						
ICES67E2	MONENTARY RIGHT / CTR / LEFT TOGGLE ACTION						
ICES67K4	MONENTARY RIGHT / CTR / LEFT TOGGLE ACTION						
ICES67L2	MAINTAINED RIGHT / LEFT TOGGLE ACTION						
ICES67P4	MONENTARY SPRING ACTION 30 DEGREE RIGHT / CTR / LEFT ROTATION						
ICES67R4	MONENTARY SPRING ACTION 30 DEGREE RIGHT / CTR / LEFT ROTATION						

FACEPLATE Switch & Configuration

MODEL	SINGLE SWITCH	SINGLE SWITCH	SINGLE SWITCH	DOUBLE SWITCH
	NARROW SWITCH PLATE	SINGLE GANG SWITCH PLATE	GANG SWITCH PLATE	DOUBLE GANG SWITCH PLATE
ICES67A1	X	X	X	X
ICES67B1	X	X	X	X
ICES67B2	X	X	X	X
ICES67B3	X	X	X	X
ICES67J3	X	X	X	X
ICES67D2		X	X	
ICES67E2		X	X	
ICES67K4		X	X	
ICES67L2		X	X	
ICES67P4	----- PANEL ONLY -----			
ICES67R4	----- PANEL ONLY -----			

