

ETI PRODUCTS

ELECTRIC KEY SWITCH IC Core Key Control

for

Institutional – Commercial - Industrial Integration

with
the following
mfg.'s IC products



Price Guide – Technical Reference

MSRP

ETI PRODUCTS llc
P.O. Box 310
Placitas, New Mexico 87043
505-404-8481
www.ETIPRODUCTS.net
Established 2006

ETI PRODUCTS

IC Series

IC Core Electric Key-Switch

Price Guide

Technical Reference

MSRP

XXX NEW PRODUCT

SEPT 25 PL8MSRP

Ordering: Mfg Model + Function = Complete Switch

Example: IC5A02+ B1 = IC5A02B1

** All Best Compatible Key Switch 6-7 Pin

Key Position 1 for all Switch Locks is 12 o'clock All Switch Locks, Key removable at 12 o'clock position only					MFG Model	BEST ICES67	**	MEDECO ICME05	SCHLAGE ICSC01	CORBIN ICCO03	SARGENT IC5A02	YALE ICYA04
SWITCH TYPE	KEY POSITION 2	KEY POSITION 3	CONNECTION	FINISH	FUNCTION	MSRP		MSRP		MSRP		MSRP
MAINTAINED SWITCH LOCKS - Manual Return Action												
Mini Micro Switch, 5A 125/250VAC, 5A 30VDC, Wire Length 7"												
1-SPDT *on-on	2 o'clock	N/A	WIRE 20 AWG	us26D	A1	198		246	NA-05		228	NA-04
2-SPDT *on-on	2 o'clock	N/A	WIRE 20 AWG	us26D	AJ1	238		295	NA-05		274	NA-04
Mini Micro Weatherproof Switch, 5A 125/250VAC, 5A 30VDC, Wire length 12" Rated IP67 Waterproof												
1-SPDT *on-on	2 o'clock	N/A	WIRE 20 AWG	us26D	AW1	238		295	NA-05		274	NA-04
2-SPDT *on-on	2 o'clock	N/A	WIRE 20 AWG	us26D	AWJ1	298		370	NA-05		343	NA-04
1-SPDT *on-on	12 o'clock	N/A	WIRE 20 AWG	us26D	AW2	238		295	NA-05		274	NA-04
2-SPDT *on-on	12 o'clock	N/A	WIRE 20 AWG	us26D	AWJ2	298		370	NA-05		343	NA-04
Micro Switch, 16A 125/250VAC, 0.6 125VDC-0.3 250VDC												
1-SPDT *on-on	2 o'clock	N/A	screw	us26D	B1	188		233			216	
2-SPDT *on-on	2 o'clock	N/A	screw	us26D	J1	248		308			285	
3-SPDT *on-on	2 o'clock	N/A	screw	us26D	T1	308		382			354	
1-SPDT *on-on	12 o'clock	N/A	screw	us26D	B2	198		246	NA-05		228	NA-04
2-SPDT *on-on	12 o'clock	N/A	screw	us26D	J2	258		320	NA-05		297	NA-04
3-SPDT *on-on	12 o'clock	N/A	screw	us26D	T2	318		394	NA-05		366	NA-04
1-SPDT *on-on	6 o'clock	N/A	screw	us26D	B4	188		233			216	
2-SPDT *on-on	6 o'clock	N/A	screw	us26D	J4	248		308			285	
3-SPDT *on-on	6 o'clock	N/A	screw	us26D	T4	308		382			354	
Toggle Switch, 15A-125VAC, 10A-250VAC, 3/4hp 125/250Vac												
1-DPDT *on-off	2 o'clock	N/A	screw	us26D	D2	238		295			274	
1-SPDT *on-on	2 o'clock	10 o'clock	screw	us26D	L2	248		308			285	
Toggle Switch, 24A-125VAC, 15A-277VAC, 2hp 125/277VAC												
1-TPDT *on-off-on	2 o'clock	10 o'clock	screw	us26D	E2	268		332			308	
1-TPST *on-on	2 o'clock	10 o'clock	screw	us26D	F2	268		332			308	
Rocker Switch, 30A-120-277VAC Commerical Light Switch												
4" Rasied Steel Faceplate with Surface Mount Box 2 1/8" Deep w/Knockouts												
1-DPST *on-off	2 o'clock	N/A	screw	Zinc	C2DG	348		432			400	
Micro Switch, 16A 125/250VAC with 40MM Mushroom Push Button NO/NC 15A-125VAC/3A- 240VAC (Push Button-Momentary)												
4" Rasied Steel Faceplate with Surface Mount Box 2 1/8" Deep w/Knockouts												
2-SPDT *on-on	2 o'clock	N/A	screw	Zinc	B1PBDG	348		432			400	
MOMENTARY SWITCH LOCKS - Spring Assist Return												
Toggle Switch, 15A-125VAC, 10A-250VAC, 3/4hp 125/250VAC												
1-DPDT *(on)-off-(on)	2 o'clock	10 o'clock	screw	us26D	K4	248		308			285	
Micro Switch, 16A 125/250VAC, 0.6 125VDC-0.3 250VDC B3, J3, T3, P4, R4 & W4 - PANEL MOUNT ONLY												
1-SPDT *(on)-(on)	2 o'clock	N/A	screw	us26D	B3	188		233			216	
2-SPDT *(on)-(on)	2 o'clock	N/A	screw	us26D	J3	258		320			297	
3-SPDT *(on)-(on)	2 o'clock	N/A	screw	us26D	T3	308		382			354	
2-SPDT *(on)-(on)	2 o'clock	10 o'clock	screw	us26D	P4	258		320			297	
4-SPDT *(on)-(on)	2 o'clock	10 o'clock	screw	us26D	R4	328		407			377	
6-SPDT *(on)-(on)	2 o'clock	10 o'clock	screw	us26D	W4	378		469			435	

Replacement Switch

Function	Part #	MSRP
A1 & (AJ1 - 2 required)	RPA	44
AW1, AW2 & (AWJ1/AWJ2- 2 required)	RPAW	64
B1, B2, B3, B4 & (P4 - 2 required)	RPB	24
J1, J2, J3, J4 & (R4 - 2 required)	RPJ	44
T1, T2, T3, T4 & (W4 - 2 required)	RPTW	88
C2	RPC	74
D2	RPD	44
E2	RPE	64
F2	RPF	64
K4	RPK	54
L2	RPL	74

Reference

* Switch Action, xx-Maintained, (xx)-Momentary

IC Core Compatability	
BEST	6-7 pin
MEDECO	6 pin
SCHLAGE	6 pin
CORBIN	6 pin
SARGENT	6 pin
YALE	6 pin

Switch Type	
SPDT	Single Pole - Double Throw
DPDT	Double Pole - Double Throw
DPST	Double Pole - Single Throw
TPDT	Triple Pole - Double Throw
TPST	Triple Pole - Single Throw

ETI PRODUCTS

IC Series

Multi-Location, IC Core Electric Key-Switch

Key Position 1 for all Switch Locks is 12 O'clock

All Switch Locks, Key removable at 12 o'clock position only

Price Guide

Technical Reference

MSRP

XXX NEW PRODUCT

SEPT 25 PL8MSRP

** All Best Compatible Key Switch 6-7 Pin

Product Explanation : ICES67-K4-4SP-S5 = 4 SWITCH - 4 GANG FACEPLATE HD ROUND EDGE

Application Example: Central Control for OH Door, Sport Apparatus, Retractable Bleachers

MOMENTARY SWITCH LOCK - Spring Assisst Return

Toggle Switch, DPDT (on-position 3)-off-position 1-(on-position 2) 15Amp-125Vac, 10Amp-250Vac, 3/4HP-125/250Vac

xSP = 2, 3, 4, 5 & 6 Switches with Oversized HD Round Edge Faceplate, Finish 32D, Flush Mount

(S3-S4-S5-S6-S7 Faceplates)				MFG Model	BEST ICES67	**	MEDECO ICME05	SCHLAGE ICSC01	CORBIN ICCO03	SARGENT ICSA02	YALE ICYA04
# SWITCHES	KEY POSITION 2	KEY POSITION 3	CONNECTION	FUNCTION	MSRP		MSRP		MSRP		
2	2 o'clock	10 o'clock	screw	K4-2SP-S3	642		796		738		
3	2 o'clock	10 o'clock	screw	K4-3SP-S4	1002		1242		1152		
4	2 o'clock	10 o'clock	screw	K4-4SP-S5	1320		1637		1518		
5	2 o'clock	10 o'clock	screw	K4-5SP-S6	1588		1969		1826		
6	2 o'clock	10 o'clock	screw	K4-6SP-S7	1850		2294		2128		

Toggle Switch, DPDT (on-position 3)-off-position 1-(on-position 2) 15Amp-125Vac, 10Amp-250Vac, 3/4HP-125/250Vac

xSP = 2, 3, 4, 5 & 6 Switches with Standard Square Faceplate, Finish 32D, Box or Flush Mount

(S3S-S4S-S5S-S6S-S7S Faceplates)				MFG Model	BEST ICES67	**	MEDECO ICME05	SCHLAGE ICSC01	CORBIN ICCO03	SARGENT ICSA02	YALE ICYA04
# SWITCHES	KEY POSITION 2	KEY POSITION 3	CONNECTION	FUNCTION	MSRP		MSRP		MSRP		
2	2 o'clock	10 o'clock	screw	K4-2SP-S3S	628		779		722		
3	2 o'clock	10 o'clock	screw	K4-3SP-S4S	982		1218		1129		
4	2 o'clock	10 o'clock	screw	K4-4SP-S5S	1306		1619		1502		
5	2 o'clock	10 o'clock	screw	K4-5SP-S6S	1574		1952		1810		
6	2 o'clock	10 o'clock	screw	K4-6SP-S7S	1836		2277		2111		

*** For Other Switch Functions or Mix of IC Fomats, Contact Factory for Pricing and Availability.

PRODUCT DESIGN REFERENCE

A1, AJ1 SERIES



AW1, AWJ1, AW2 AWJ2 ,SERIES



B1, B2, B4 SERIES



J1, J2, J4 SERIES



T1, T2, T4 SERIES



D, E, F, K, L, SERIES



B3, J3, T3 SERIES



P4, R4, W4 SERIES



C2DG



B1PBDG



ETI PRODUCTS

Price Guide

IC Series

Technical Reference

Switch Lock Options and Auxiliary Products

MSRP

Ordering: Mfg. Model + Plus Options

XXX NEW PRODUCT

Example: ICSA02B1 +S1 + T = ICSA02B1S1T

SEPT 25 PL8MSRP

Single Gang Face Plates	Model	MSRP
us32D Satin Stainless, 1 Switch, Oversized HD Round Edge Design, Flush Mount	S1	52
us32D Satin Stainless 1 Switch, Square Edge Design, Box or Flush Mount	S1S	48
us10B Antique Bronze Oiled 1 Switch, Square Edge Design, Box or Flush Mount	D1S	52
us4 Satin Brass, 1 Switch, Square Edge Design, Box or Flush Mount	B1S	52
Extended 3/8" Depth, us32D Satin Stainless, 1 Switch, Square Edge Design, Box or Flush Mount	S1X	54
Double Gang Face Plates		
us32D Satin Stainless, 1 Switch Location Left, Oversized HD Round Edge Design, Flush Mount	S2	56
us32D Satin Stainless, 1 Switch Location Center, Oversized HD Round Edge Design, Flush Mount	S2C	56
us32D Satin Stainless, 1 Switch, Square Edge Design, Box or Flush Mount	S2S	60
us10B Antique Bronze Oiled 1 Switch, Square Edge Design, Box or Flush Mount	D2S	60
us4 Satin Brass, 1 Switch, Square Edge Design, Box or Flush Mount	B2S	60
Extended 3/8" Depth, us32D Satin Stainless, 1 Switch, Square Edge Design, Box or Flush Mount	S2X	62
us32D Satin Stainless, 2 Switch Location Oversized HD Round Edge Design, Rim Mount	S3	66
us32D Satin Stainless 2 Switch, Square Edge Design, Box or Flush Mount	S3S	62
us10B Antique Bronze Oiled, 2 Switch Square Edge Design, Box or Flush Mount	D3S	66
us4 Satin Brass, 2 Switch, Square Edge Design, Box or Flush Mount	B3S	66
Extended 3/8" Depth, us32D Satin Stainless, 2 Switch, Square Edge Design, Box or Flush Mount	S3X	68
Specialty Multi Gang Faceplates		
us32D Satin Stainless, 3 Gang - 3 Switch, Oversized HD Round Edge Design, Flush Mount	S4	178
us32D Satin Stainless 3 Gang - 3 Switch, Square Edge Design, Box or Flush Mount	S4S	168
us32D Satin Stainless, 4 Gang - 4 Switch, Oversized HD Round Edge Design, Flush Mount	S5	248
us32D Satin Stainless 4 Gang - 4 Switch, Square Edge Design, Box or Flush Mount	S5S	238
us32D Satin Stainless, 5 Gang - 5 Switch, Oversized HD Round Edge Design, Flush Mount	S6	268
us32D Satin Stainless 5 Gang - 5 Switch, Square Edge Design, Box or Flush Mount	S6S	258
us32D Satin Stainless, 6 Gang - 6 Switch, Oversized HD Round Edge Design, Flush Mount	S7	298
us32D Satin Stainless 6 Gang - 6 Switch, Square Edge Design, Box or Flush Mount	S7S	288
Optional LED Indicators		
LED Red 12/24V	R	38
LED Green 12/24V	G	38
LED Red & Green 12/24V	T	76
LED Red x 2 12/24V	RR	76
LED Green x 2 12/24V	GG	76
LED 2 Red & 2 Green 12/24V	TT	154
Auxiliary Products		
Plastic Box Door Release SPDT MOMENTARY	DR-1010	58
Deep Cast Switch Box Single Gang	CSGD-1	138
Cast Faceplate with Weather Gasket, 4 Hole Mounting, Single Gang (for Cast Box)	CSGF-1	88
Painted Steel Faceplate with Weather Gasket, 2 Hole Mounting, Single Gang	CSSP-1	34
Timer - Collar Spacers-Blocking Cylinder		
TIMER Electric 12-24 Volt 1-30 Second Delay Adj	TD130	78
Collar Spacer 1/8"	SWC01	8
Collar Spacer 1/4"	SWC02	8
Collar Spacer 3/8"	SWC03	8
Collar Spacer 1/2"	SWC04	8
Blocking Cylinder (Double D prep-Faceplate filler) with Locking Ring and Bracket	ICDC1	40

ETI PRODUCTS llc
P.O. BOX 310
Placitas, New Mexico 87043
505-404-8481 www.ETIPRODUCTS.net
Established 2006